



## **ORANGE PEEL**

## **CAUSES:**

- incorrect paint application: inadequate air pressure, incorrect nozzle setting, spray gun too close to the substrate, too high temperature, inadequate paint viscosity
- · not sufficient sanding of the substrate
- · application of a too thick/thin layer of paint
- · drafts and unsuitable temperature

## PREVENTION:

- · follow the application techniques stated in the technical data sheets
- · avoid too high temperature applications
- · apply paint evenly, in thin layers
- use recommended thinners to achieve the correct viscosity of the paint

## **RESTORATION:**

· remove coating, clean the substrate and repaint it